STATEMENT OF WORK (SOW)

For the IROAN

of the

SHELTER, NONEXPANDABLE, 20 Foot

EMI/EMC

NSN: 5411-01-304-6121

Prepared by MARINE CORPS SYSTEMS COMMAND, (CSLE) ALBANY, GA.

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	Page
1.0	SCOPE	1
1.1	Background	1
2.0	APPLICABLE DOCUMENTS	1
2.1	Military Specifications	1
2.2	Military Standards	1
2.3	Other Government Documents and Publications	1
2.4	Industry Standards	2
3.0	REQUIREMENTS	2
3.1	General Tasks	2
3.2	Detail Tasks	3
3.2.1	Phase I (Pre-Induction)	2 2 2 3 3 3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	4
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T)	4
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel	
	(GFM) Accountability	4
3.4	Contractor Furnished Materiel (CFM)	5
3.5	Electrostatic Discharge (ESD) Control Program	5 5 5
3.6	Quality Assurance Provisions	5 ·
3.7	Acceptance	5
3.8	Rejection	5 5 5
3.9	Configuration Control	5
4.0	REPORTS	6
4.1	Pre-Induction Checklist	6
4.2	Test/Inspection Report	6
4.3	Repairable Item Inspection Report	6
4.4	Monthly Progress Report	6
Appendix		
A	Standard Form 364 (Rev. 2-80) A-1 thru	ı A-2

STATEMENT OF WORK For the IROAN of SHELTER, NONEXPANDABLE, 20 Foot EMI/EMC (5411-01-304-6121)

P/N: 82A5048A0000 CAGE: 01365

- 1.0 SCOPE. This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to IROAN the 20 Foot EMI/EMC Shelter, NSN: 5411-01-304-6121; hereafter referred to as the EMI/EMC SHELTER. This document contains requirements to restore the EMI/EMC SHELTER, Drawing Number 82A5048A0000, CAGE 01365, to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Specifications.

MIL-C-81309

Corrosion Preventive Compounds, Water Displacing,

Ultra Thin Film

2.2 Military Standards.

MIL-STD-129

DoD Standard Practice for Military Marking

MIL-STD-2073-1D

DoD Standard Practice for Military Packaging

2.3 Other Government Documents and Publications. The issues of those documents cited below shall be used.

SL-3-09271A

Components List for Shelter, Nonexpandable, 20ft,

EMI/EMC

TM 5410-14/1

Intermediate Maintenance Instructions Electronics

Maintenance Complex

TM 5411-14/1 Marine Corps Expeditionary Shelter System (MCESS)

(Small Shelter Family) Operation and Maintenance

Instructions

TM 5411-14&P/2 Marine Corps Expeditionary Shelter System, General

Purpose Shelter, Operations and Maintenance

Instructions with Repair Parts

82A5048A0000, CAGE 01365 Technical Data Package for the Shelter, 20 Foot EMI,

Electronic Maintenance Complex (EMC)

DoD 4000.25-1-M MILSTRIP Manual

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.4 Industry Standards.

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive (ESDS) Devices

ANSI/ISO/ASQC Q9002-1994 Quality Systems-Model for Quality Assurance in

Production, Installation, and Servicing

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 REQUIREMENTS.

3.1 General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose,

restore, and test and calibrate the EMI/EMC SHELTER. Upon completion of repairing the subject item shall be Condition Code "A".

3.2 <u>Detail Tasks.</u> The following tasks describe the different phases for repair of the EMI/EMC SHELTER:

Phase I Pre-Induction

Phase I Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

- 3.2.1 Phase I Pre-Induction. A Pre-Induction Inspection Analysis shall be performed for each EMI/EMC SHELTER within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Supply Chain Management Center, Marine Corps Logistics Bases (577-3), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- 3.2.2 <u>Phase II Repair.</u> After Pre-Induction Tests and Inspections have been completed, repair of the EMI/EMC SHELTER shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware.

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation</u>. In addition to the documents invoked in Section 3 of this SOW, the Contractor may use the following documents:

SL-3-09271A Components List for Shelter, Nonexpandable, 20ft,

EMI/EMC

TM 5410-14/1 Intermediate Maintenance Instructions Electronics

Maintenance Complex

TM 5411-14/1 Marine Corps Expeditionary Shelter System (MCESS)

(Small Shelter Family) Operation and Maintenance

Instructions

MIL-C-81309 Corrosion Preventive Compounds, Water Displacing, Ultra

Thin Film

TM 5411-14&P/2 Marine Corps Expeditionary Shelter System (MCESS),

General Purpose Shelter, Operations and Maintenance

Instructions with Repair Parts

82A5048A0000, CAGE 01365 Technical Data Package for the Shelter, 20 Foot EMI,

Electronic Maintenance Complex (EMC)

c. Any approved Modification Instructions (MIs) or Engineering Change Proposals (ECPs) not previously applied shall be incorporated.

3.2.3 Phase III - Inspection, Testing and Acceptance.

- a. Inspection, Testing and Acceptance of the EMI/EMC SHELTER shall be conducted in accordance with the documents and TM's listed in section 3.2.2.b.
- b. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. Marine Corps Systems Command (MCSC) (Code CSLE), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage and Transportation (PHS&T).

- a. The Contractor shall be responsible for preservation and packaging for items being repaired under the terms of this statement of work. Items being prepared for long term storage and shipment to overseas destinations shall be preserved and packaged in accordance with the level A requirements of MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items being prepared for domestic shipment, immediate use and short-term storage shall be to level B requirements.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM) Accountability. The Management Control Activity (MCA/Code 573-2) will coordinate

Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2) 814 Radford Blvd, STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).

- 3.4 <u>Contractor Furnished Materiel (CFM)</u>. The contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP) Chapter 11 provides guidance to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program.</u> The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality Systems-Model for Quality Assurance in Production, Installation, and Servicing. The program shall ensure quality throughout all areas to include processing, assembly, inspection, testing, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements.

 MCSC (Code CSLE), Albany, GA reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.
- 3.7 <u>Acceptance</u>. The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and MCSC (Code CSLE), Albany, GA representatives shall be permitted to observe the work or to conduct an inspection.
- 3.8 <u>Rejection</u>. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCSC (CSLE), Albany, Georgia representative. The Contractor shall, at no additional cost to MCSC, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 3.9 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for

preparing this configuration control document.

- 4.0 <u>REPORTS.</u> All report deliverables shall be submitted in hard copy to Marine Corps Systems Command (CSLE), 814 Radford Blvd., Suite 20320, Albany, Georgia, 31704-0320, and Supply Chain Management Center, Attn: (Code 577-3), 814 Radford Blvd., Suite, Albany, Georgia, 31704-0320, unless directed otherwise in a Contract Data Requirements List.
- 4.1 <u>Pre-Induction Checklist</u>. The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each EMI/EMC SHELTER repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to Marine Corps Systems Command (CSLE), 814 Radford Blvd., Suite 20320, Albany, Georgia, 31704-0320, and Supply Chain Management Center, Attn: (Code 577-3), 814 Radford Blvd., Suite, Albany, Georgia, 31704-0320, after final acceptance of the EMI/EMC SHELTER.
- **4.2** <u>Test/Inspection Report.</u> The Contractor shall provide a Test/Inspection Report on each EMI/EMC SHELTER.
- **4.3** Repairable Item Inspection Report. The Contractor shall provide a Repairable Item Inspection Report for each EMI/EMC SHELTER. The report shall be identified by United States Marine Corps Serial Number.
- **4.4** Monthly Progress Reports. The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the EMI/EMC SHELTER Program.

STANDARD FORM 364 (Rev. 2-80) (Prescribed by GSA FPMR 101.

INSTRUCTIONS DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments. CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a). REPORT OF DISCREPANCY (ROD) DATE OF PREPARATION 2. REPORT NUMBER SHIPPING PACKAGING 3, TO: (Name and Address, Include ZIP Code) A FROM: Name and Address Include ZIP Code 5a. SHIPPERS NAME 5b. NUMBER AND DATE OF INVOICE 5c. TRANSPORTATION DOCUMENT NUMBER (GBL, Wavbill, TCN, etc.) 7a. SHIPPER'S NUMBER (Purchase Order/Shipmnet, 7b. OFFICE ADMINISTERING CONTRACT 8. REQUISITIONER'S NUMBER (Requisition, Purchase Reque Contract, etc.) SHIPMENT, BILLING, AND RECEIPT DATA DISCREPANCY DATA 11. NSN/PART NUMBER AND UNIT QUANTITY QUANTITY QUAN-UNIT TOTAL SHIPPED/ RECEIVED PRICE COST CODE ISSUE BILLED (d) **(b)** (4) (a) **(b)** (c) (c) 12. REMARKS (continue on separate sheet of paper if necessary) 1. DISCREPANCY CODES 2 ACTION CODES PRODUCT QUALITY DEFICIENCIES CONDITION OF MATERIAL C1 - In condition other than that indicated on Q1 - Deficient material (Applicable to Grant Aid and FMS ship 1A - Disposition instructions requested (Reply on reverse, 1B - Material being retained (See Remarks) release/receipt document
C2 - Expired shelf life SHORTAGE OF MATERIAL 1C - Supporting supply documentation required.

1D - Material still required, expedite shipme S1 - Quantity less than that on receipt document C3 - Damaged parcel post shipms SUPPLY DOCUMENTATION 52 - Quantity less than that requested (Other than unit of ixsue pack)
53 - Non-receipt of parcel post shipments
ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log licable to FMS) D! - Not received 1E - Local purchase material to be returned at supplier's repense unless disposition instructions to the contrary are received within 15 days (Reply owneverse) (Not · Illegible or mutilated Books, Operating Handbooks, Special Instructions, etc.) T1 - Missing D3 - Incomplete, Improper or without authority (Only when receipt cannot be properly processed) T2 - Illegible or Mutilated applicable to FMS) MISDIRECTED MATERIAL T3 - Precauttionary operational markings missing iF - Replaceme M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS T4 - Inspection data missing or incomplete
T5 - Serviceability operating data missing or incomplete EMS) 1G - Reshipment not required. Item to be re-requisitione O1 - Quantity in excess of that on receipt doc T6 - Warranty data missing 1H - No action required. Information only WRONG ITEM (Identify requested item as a separate copy in Item 9. O2 - Quantity in excess of that requested (Other than unit of issue pack) 1Z - Other action requested (See remarks) O3 - Quantity duplicate shi PACKING DISCREPANCY above) W1 - Incorrect item received W2 - Unacceptable substitute OTHER DISCREPANCIES PI - Improper preservation P2 - Improper packing P3 - Improper Marking Z1 - See Remarks 13. FUNDING AND ACCOUNTING DATA 14a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL 14b. SIGNATURE П 15. DISTRIBUTION ADDRESSEES FOR COPIES

7540-00-159-4442

364-103

(Previous edition is obsolete)

24b. SIGNATURE	24c DATE
	STANDARD FORM 364 BACK (REV. 2-80)
A-2	

SUBMIT NEW REQUISITION.

23. REMARKS (Continue on separate sheet of paper if necessary).

(1 Data Item)

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reporting this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquesters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be swear that notwithstanding any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of information if it does not display a currently veid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the dovernment lissuing Contracting Officer for the Contract/PR No. issted in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT	•	C. CATEGORY:	OTHER	×]
D. SYSTEM/ITEM	 		E. CONTRACT/PR		F. CONTRA				\dashv
Shelter, Non-									
1. DATA ITEM NO.	2. TITLE OF DATA ITEM						1		
A001	Contractor's Pro	ogress, S	tatus, and Mai		Managemer	nt		1	
4. AUTHORITY (Deta Acquisit	tion Document No.)	<u>, , -</u>	5. CONTRACT REFEREN		1	S. REQUIRING OFFICE			
DI-	MCSC, Albany	7, GA	(CSLE	()					
7, 00 258 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENC	ev ITHLY	12. DATE OF FIRST SUBMISSION See Blk 1		14. DISTRIBUTION			
8. APP CODE		11. AS OF DA		13. DATE OF SUBSEQUENT SUBMISSION		a. Addressee	b. COPIES		nal l
	A			6	a. ADDREGGE	Draft	Reg	Repro	
16. REMARKS Contractor for	nat is authorized.	ı <u> </u>				MCSC (CSLE)	0	1	0
		as fallow	wa. Dalata mam		26	Albany, GA			
10.3i, and 10.3)j. MGWH-80227 Sj.	as ionov	vs: Delete para	agraphs 10.3g, 10	.эп,				
Blk 12 - The re	porting period sha	all be fro	m the first to I	last business day o	f each				
Blk 13 - Subsec	quent submissions	shall be	10 days after 1	the last business da	ay of	,,			
				Distribution is uni					
Distribution Sta	нешенка. Аррго	veu for p	dublic release,	Distribution is un	immieu.				
			•						
					÷				
•								_	
								_	
								·	
									\dashv
						·	$\vdash \vdash$		\longrightarrow
	•		ı				 		\dashv
									$\neg \uparrow$
						15. TOTAL	0		0
G. PREPARED BY			H. DATE	I. APPROVED B	Y		J. DAT	<u>_</u>	\dashv
4/ /	1.				1	forem (0	
Ske Xb			18 Sep &	1 John		Tour (<u>/ X</u>	Sp.	01
DD FORM 1425-1	I, AUG 96 (EG)		✓ PR	EVIOUS EDITION MAY BE	USED.	Designed (Page using Perform	of Pro. WHS/D	Pages

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other expect of this collection of information for reducing the burden, to Department of Defense, Washington Readquarters Senices, Divertorate for Information Operations and Reports (7071-0188), 1215 Lafferson Devis Highway, Satis 1204, Afrington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penelty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contractiff No. listed in Block E.

D. SYSTEM/ITEM Shelter, Nonexpand, 20' EMI/EMC 1. DATA ITEM NO. 2. TITLE OF DATA ITEM A002 Repairable Item Inspection Report 4. AUTHORITY (Pate Acquisition Document No.) 5. CONTRACT/PR NO. F. CONTRACTOR 17. PRICE GROU 18. ESTIMATES	A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	B. EXHIBIT C. CATEGORY: TOP TM OTHER							
Shelter, Nonexpand, 20 EMI/EMC Same Fabrace Sa	п сустемитем			E CUNTRACTION	1						
Repairable Item Inspection Report ROWSC, Albany, GA (CSLE) ROWSC, Albany, GA (CSLE) RAFFORE A STREAMMENT AND ALL MATERIAL SHAPE AND	Shelter, Non	expand, 20' EMI	/EMC	E. COMINACIAN	mJ.	SORTINA				·	1
A APPENDED BY A LAPRINGE CONTRACTOR AND A LAPRINGE SOLVE A LAPRINGE SOLVE A LAPRINGE CONTRACT OF A LAPRINGE CONTR	1. DATA ITEM NO.					3. SUBTITLE					17. PRICE GROU
A APPENDED BY A LAPRINGE CONTRACTOR AND A LAPRINGE SOLVE A LAPRINGE SOLVE A LAPRINGE CONTRACT OF A LAPRINGE CONTR								1			
DI-ILSS-80366 SOW 4.1 DATE LAPPROVED BY LAP TOURS LAP		_	irable Ite								
ASREQ 13. ASPENDITE PROPERTY ASPERANCE OF DATE OF THE PROPERTY				5. CONTRACT REFEREN				v	Cet E	,	18. ESTIMATED TOTAL PRIC
A SAREQ 11.AN WOME 11.			10 EDEAHER	TY .				y, GA	COLE	رد	
A TLAS WE DATE SECRETARY OF THE PROPERTY OF TH			1				14. DISTRIBUTION		h COPIES		
See Blk 16 See Blk 16 See Blk 16 MCSC (CSLE) Albany, GA Blks 10 - A separate report shall be submitted for each Shelter repaired. Blks 12 e 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Shelter. Distribution Statement A. Approved for Public Release; Distribution is unlimited. Distribution Statement A. Approved for Public Release; Distribution is unlimited. Blks 10 - A separate report shall be submitted for each Shelter repaired. Blks 12 e 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Shelter. Distribution Statement A. Approved for Public Release; Distribution is unlimited. Blks 16 MCSC (CSLE) Albany, GA Albany, GA Blks 10 - A separate report shall be submitted for each Shelter. Blks 2 e 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Shelter. Blks 2 e 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Shelter. Blks 10 - A separate report shall be submitted for each Shelter repaired. MCSC (CSLE) Albany, GA Albany, GA Blks 10 - A separate report shall be submitted for each Shelter repaired. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate report shall be submitted for each Shelter. Blks 10 - A separate re		1			13. DATE OF SUBSEQUENT	<u> </u>	a. ADDRESSEE			nal	'
MCSC (CSLE) 0 1 0 Bilks 10 - A separate report shall be submitted for each Shelter repaired. Bilks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Shelter. Distribution Statement A. Approved for Public Release; Distribution is unlimited. Distribution Statement A. Approved for Public Release; Distribution is unlimited. Lappended By H. Date Lappended By J. Date		A .			Submission See Blk 1	6		Dreft			
Blks 10 - A separate report shall be submitted for each Shelter repaired. Blks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Shelter. Distribution Statement A. Approved for Public Release; Distribution is unlimited. Distribution Statement A. Approved for Public Release; Distribution is unlimited. Distribution Statement A. Approved for Public Release; Distribution is unlimited. Distribution Statement A. Approved for Public Release; Distribution is unlimited. Distribution Statement A. Approved for Public Release; Distribution is unlimited.	16. REMARKS	ctor format is auti	orized	•			MCSC (CSLE)	0	1	0	[]
Blks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Shelter. Distribution Statement A. Approved for Public Release; Distribution is unlimited. G. PREPARED BY H. DATE H. DATE H. DATE H. DATE H. DATE J. DATE J. Solve of I.				!u-16	Ohaltar '						[
Distribution Statement A. Approved for Public Release; Distribution is unlimited. G. PREPARED BY H. DATE LAPPROVED BY J. DATE J. DATE	· ·	-						 	<u></u>	ļ	[]
Distribution Statement A. Approved for Public Release; Distribution is unlimited. G. PREPARED BY H. DATE LAPPROVED BY J. DATE J. DATE	Blks 12 & 13 -	Submit report by	Marine	Corps Serial N	lumber 30 days af	ter		-			ľ
G. PREPARED BY H. DATE L. APPROVED BY J. DATE J. DATE 18 Sep 01								-			
G. PREPARED BY H. DATE L. APPROVED BY J. DATE J. DATE 18 Sep 01	unlimited.	асешені А. Аррго	oveu 10r l	rudhe Kelease	, Distribution is						1
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01									,		!
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01]
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01								+			l i
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											1
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											1.
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											1
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01];
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01										Ĺ	!
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01								- 			!
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											!
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01								1			1
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											1 i
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											!
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01				-							<u> </u>
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01								1			li
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01								1			j
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											1,
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01									·····		.
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01								-			11
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01								1			1
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01								†			1
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01											1
S. PREPARED BY H. DATE I. APPROVED BY J. DATE 18 Sep 01									ļ		1
She Hoshins 18 Sepor Jake Noume (18 Sep 01					I conneuc-		15. TOTAL			0	4
	G. PREPARED BY			H. DATÉ	I. APPROVED I	51	/ /				
	Allo Ila	him		18500	, De	W	oline,	18	See	01	
	DD FORM 1423	1. AUG 98 (FG)			REVIOUS EDITION MAY BE	USED.	']

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and competing and reviewing the collection of information. Send comments reparting this burden estimate or any other sepect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquesters Services, Directorate for Information Operations and Reports (7071-01888), 1215 Jeffreson Devis Highway, Suits 1204, Afrigan, VA 22202-4302. Respondents should be ewarer that notwithstanding any other provision of lew, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CUNTRACT LINETTEM MU.		R. SYMIRI		TDPTM	OTHER	×			ŀ	
D. SYSTEM/ITEM			E. CONTRACT/PR		F. CONTRA					
Shelter, Nonexpand, 20' EMI		/EMC	E. GUBIRACI/FR	ny.	T. COMTINA					
I. DATA ITEM NO.	2. TITLE OF DATA ITEM			3. SUBTITLE						
B001		Test/Insp	ection Reports	3	Non	Destructive Testing	and In:	spectio	n	
4. AUTHORITY (Bata Acquisitis			5. CONTRACT REFEREN			6. REQUIRING OFFICE	.	/OCT T		
	NDTI-80809B			SOW 4.2		MCSC, Albany	y, GA	(CSLE	2)	
7. 00 250 RE0 SD). DIST STATEMENT REQUIRED	10, FREQUENC	ey ONE/R	12. DATE OF FIRST SUBMISSION See Blk 1		14. DISTRIBUTION				
8. APP CODE		11. AS OF DAT		13. DATE OF SUBSEQUENT	 -	- 100050055	b. COPIES			
A	Α			submission See Blk 1	6	a. Adoressee	Draft Reg		Repro	
16. REMARKS				<u>-</u>	<u> </u>	MCSC (CSLE)	0	1	0	
	l media requirem			• •		Albany, GA	Ť		Ť	
Blks 10 & 12: S	ubmit test report	within 1	5 days after co	mpletion of testin	g.	DCMC	0	1	0	
within 15 days a	iew and provide after receipt. MC	comment SC, Alba	s to MCSC, A ny, GA (CSLI	ompletion of testin Ilbany, GA (CSLE E) will provide Tys after receipt of	3)					
acceptance/nona	acceptance to the	contracto	or within 15 da	iys after receipt of	f					
within 30 days a	itractor snall inconstitution receipt. This	rporate g	approval cycle	mments and resub shall continue un	til the		\vdash			
contractor receive	ves approval fror	n the gov	ernment.							
Distribution Ctor	·		bublic Delegge	Distribution is			 			
Unlimited.	tement A: Appro	vea for r	ublic Release;	Distribution is						
						·				
		•								
							ļ			
						·				
							<u> </u>			
							<u> </u>			
	•									
										
							 			
						··· · · · · · · · · · · · · · · · · ·				
					İ		[
		1E TOTAL								
G. PREPARED BY			H. DATE	I. APPROVED BY	1	15, TOTAL	J. DATE	2	0	
A 1 F	/					~				
Ske Hos	bino		185400	1 Sele	WA	ru (186	0	7	
DD FORM 1423-1,	AUG 96 (EG)		PRI	EVIOUS EDITION MAY BE I	USED.		Page	of	Pages	

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

Designed using Perform Pro, WHS/DIOR, Aug 96

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data zources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reporting this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Saite 1204, Arington, VA 22202-4302. Respondents should be ewere that notwrithstanding any other provision of law, no person shall be subject to any penalty for falling to conflex in office of complete the conflexion of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form

A. CONTRACT LINE	ITEM NO.	B, EXHIBI	Г	C. CATEGORY:	OTUE:		×				
D. SYSTEM/ITEM		L	E. CONTRACT/PR	TDP TM _	F. CONTR						1
	nexpand, 20' EMI	/EMC	E. COMINACIJEN	RU.	r. Cuntin	ACIUN					
1. ĐẠTA ITEM ĐỘ.	2. TITLE OF DATA ITEM		<u> </u>	_	3. SUBTITLE						17. PRICE GROU
C001		Request	For Deviation	L		Config	uration Mar	ageme	nt		
4. AUTHORITY (Data Acquis			5. CONTRACT REFEREN			6. REQUIRING		· /502\			18. ESTIMATED TOTAL PRICE
	CMAN-80640C	to specific		SOW 3.9		<u> </u>	MCLBA	1 (383))		
7. DD 254 REQ LT	S. DIST STATEMENT REQUIRED	10. FREQUEN	ASREQ	See Blk 1		14.	DISTRIBUTION	Τ	b. COPIES		
8. APP CODE	-	11. AS OF DA		13. DATE OF SUBSEQUENT		٠.	DDRESSEE			nai	
A	A	}		Submission See Blk 1	6	1	DUNCAGE	Brait	Reg	Repro	
14. REMARKS	ctor format submi	tted in a	df or doc for			MCLB	A (583-1)	0	1	0	li
		-			ı•					L	
nonconforming documentation	13 - RFDs shall be g material which d	loes not r	neet prescribe	d configuration	iver						
	reviewed and disp Government.						 				
	Os shall be transmifigmngmnt@matc										
B.	atement A: Appro										
Unlimited.	atement A. Appro	oved for i	Tublic Release	, Distribution is							
						<u> </u>					
						<u> </u>					
							······································				1
						<u> </u>					<u> </u>
											Ì
								ļ			
						<u> </u>		 			'
						_					
ł									•		[
			•								
]
											j
						_ -				\vdash	ıl
						 					 -
!											
C DDCD+DCD-DV	-		I		ŭ	15. TOTAL	─	0	1	0	
G. PREPARED BY	Jane Col	b-	H. DATE	I. APPROVED B	T j	\mathcal{D}		J. DATI	•	1	
In Imin	. Clark		28 500	(She	ad	Heen		28	de-	0/	
DO FORM 1423-	1, AUG 96 (EG)			EVIOUS EDITION MAY BE	LISED			Page	nt	Pages	, I